



AV600 Passthrough Powerline Starter Kit

Smooth HD Streaming
in Every Room

TL-PA4010P KIT



HomePlug
AV 600Mbps



One-Button
Security




Plug, Pair
and Play

Highlights

HomePlug AV Standard Compliant




One-Button Security




Highlights

Plug, Pair and Play!



Internet from Any Outlet



Features

 Speed

 Range

 Reliability

 Ease of Use

Plug, pair and play, no configuration

 Security

 Energy Saving


regular devices as normal, and a built-in noise filter

Specifications

Hardware

Maximum: 2.60W
Typical: 2.30W
Standby: 0.50W

Dimensions (W x D x H): 3.7 x 2.3 x 1.7 in (95 x 58 x 42 mm)



Software

OFDM (PLC)

Others

Certification:

Windows 2000/XP/2003/Vista, Windows 7/8/8.1/10, Mac, Linux

Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)

Operating Temperature: 0°C~40°C (32°F ~104°F)

Storage Temperature: -40°C~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

* Listed HomePlug AV speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's Wi-Fi/electrical/physical environment, and if adapters are placed on the same home circuit. Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2016 TP-Link Technologies Co., Ltd. All rights reserved.