


DWR-921
4G LTE Router





Your Network Setup

DWR-921 4G LTE Router

Technical Specifications		
General		
Device interfaces	Four 10/100 Ethernet LAN ports WAN (RJ-45) port	Two detachable 3G/4G antennas
Data rates	Up to 150 Mbps¹ with 802.11n clients	 LTE uplink: up to 50 Mbps² LTE downlink: up to 100 Mbps²
Standards	802.11n, compatible with 802.11b/g 802.3	• 802.3u
UMTS/HSDPA/HSUPA band ³	• 900/2100 MHz	• Power Class 3
LTE band	• 900/1800/2600/800 MHz	
Functionality		
Wireless security	64/128-bit WEP (Wired Equivalent Privacy)	WPA & WPA2 (Wi-Fi Protected Access)
Firewall	Network Address Translation (NAT)	Stateful Packet Inspection (SPI)
VPN	L2TP/PPTP/IPSEC VPN pass-through	
Physical		
LED status indicators	• WAN • LAN • WLAN • 4G	• 3G • SMS • Signal
Dimensions	• 190 x 111.5 x 23.5 mm (7.48 x 4.39 x 0.93 inches)	
Weight	• 500 grams (1.10 lb)	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	
Humidity	Operating: 10% to 90% non-condensing	
Certifications	• CE	Wi-Fi Certified

Maximum wireless signal rate derived from IEEE Standard 802.11 specifications when used with related Wireless N devices. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.
 Data rates are theoretical. Data transfer rate depends on network capacity and signal strength.
 Supported frequency band is dependent upon regional hardware version.
 Please check regional mobile operators for 4G LTE/3G mobile Internet availability.



For more information: www.dlink.com

